



ORIN
BATHROOM ARCHITECTURE

Sanctuary of *Indulgence*



02 Water Closet

- 02 Close-coupled
- 03 One-piece
- 03 Back to wall
- 04 Wall hung
- 04 Commercial series
- 05 Concealed cistern
- 05 Bidet washer

06 Basin

- 06 Console
- 06 Semi-recessed
- 07 Vanity
- 07 Pedestal
- 08 Wall hung
- 09 Basin accessories

10 Acrylic Bathtub

11 Whirlpool Bath

20 Information

ORIN
BATHROOM ARCHITECTURE

CLOSE-COUPLED WC

SMART DynaWash
Close-Coupled WC Suite
365(W) x 670(L) x 730(H) mm

Roughing-in: 'BO' 250mm
'HO' 180mm



BERLIN DynaWash
Close-Coupled WC Suite
390(W) x 700(L) x 815(H) mm

Roughing-in: 'BO' 150 - 300mm (Flexi P Connector)
'HO' 180mm



DORSET DynaWash
Close-Coupled WC Suite
395(W) x 735(L) x 820(H) mm


Roughing-in: 'BO' 150 - 300mm (Flexi P Connector)
'HO' 180mm



ONE-PIECE WC


SMART DynaWash
One-Piece WC Suite
365(W) x 685(L) x 720(H) mm

Roughing-in: 'BO' 250mm
'HO' 180mm




BONN DynaWash
One-Piece WC Suite
400(W) x 710(L) x 735(H) mm

Roughing-in: 'BO' 150 - 300mm (Flexi P Connector)
'HO' 180mm




TAZA DynaWash
One-Piece WC Suite
380(W) x 725(L) x 720(H) mm

Roughing-in: 'BO' 150 - 300mm (Flexi P Connector)
'HO' 180mm




ALSACE DynaWash
Close-Coupled WC Suite
365(W) x 695(L) x 760(H) mm

Roughing-in: 'BO' 150 - 300mm (Flexi P Connector)
'HO' 180mm




RIGA DynaWash
Close-Coupled WC Suite
380(W) x 635(L) x 830(H) mm

Roughing-in: 'BO' 150 - 250mm (Flexi P Connector)
'HO' 180mm




HOMER NANO DynaWash
Close-Coupled WC Suite
380(W) x 645(L) x 840(H) mm

Roughing-in: 'BO' 150 - 265mm (Flexi P Connector)
'HO' 180mm



BORDRUM Tor'nado Flush
One-Piece WC Suite
395(W) x 715(L) x 715(H) mm

Roughing-in: 'BO' 300mm



GENEVA DynaWash
One-Piece WC Suite
385(W) x 735(L) x 850(H) mm

Roughing-in: 'BO' 150 - 300mm (Flexi P Connector)
'HO' 180mm



WC DESCRIPTION ICONS



Soft Close
Seat & Cover



DynaWash



DynaJet



Flexi P
Connector



Rimless
Bowl



Tor'nado
Flush



4 litre
water saving



5 litre
water saving



Ultra thin
UF



Ultra thin
PP



Premium UF
Seat & Cover




Nano-Glaze

BACK TO WALL WC

ALSACE DynaWash
Back-to-Wall WC Suite
365(W) x 585(L) x 405(H) mm

Roughing-in: 'BO' 120 - 150mm or 150 - 200mm
'HO' 180mm



RIGA DynaWash
Back-to-Wall WC Suite
365(W) x 565(L) x 405(H) mm

Roughing-in: 'BO' 150 mm
'HO' 180mm



FARO DynaWash
Handicap Back-to-Wall WC Suite
370(W) x 570(L) x 450(H) mm

Roughing-in: 'BO' 150 mm
'HO' 180mm







WALL HUNG WC

ALSACE DynaWash
Wall Hung WC Suite
365(W) x 565(L) x 380(H) mm
Roughing-in: 140/180mm




LUXOR DynaWash
Wall Hung WC Suite
365(W) x 550(L) x 380(H) mm
Roughing-in: 140/180mm




COMMERCIAL SERIES


WATERLOO
Squatting WC
450(W) x 575(L) x 285(H) mm
Come with integral tread plate and ceramic "S" trap




UNIVERSAL MID/LOW-LEVEL
VC Cistern
375(W) x 195(L) x 385(H) mm



SD-II
Semi-Recessed Soap Dish
150(W) x 120(L) x 150(H) mm



PH-I
Semi-Recessed Paper Holder
160(W) x 140(L) x 125(H) mm
Come with plastic roller




CONCEALED CISTERN




CS-01D
Dual Flush Concealed Cistern
506(W) x 200(D) x 1144 - 1344(H) mm

- Complete with steel support frame, high-density polyethylene cistern & accessories.
- Easy installation and adjustment.
- Durable & Easy maintenance cistern fitting.
- Low noise and clean flushing.
- Available in 2 Dual flush setting - 3 / 6 Liters or 4.5 / 9 Liters.
- European standard steel frame, is capable of sustaining weight up to 400Kg.
- Hidden design that can economize space and complement the bathroom design.



ABS Chrome Dual Flush
Push Button Plate



BIDET WASHER

AZURE SENSE
Bidet Washer
504(W) x 390(L) x 101(H) mm

- UF soft-close
- Quick-Release Seat & Cover
- Dual-cleansing mode
- Rear & Feminine wash
- Dual water inlet (Left & Right)
- Paired perfectly with Dorset, Geneva, Taza & Born



AZURE TOUCH
Bidet Washer
504(W) x 370(L) x 101(H) mm


- UF soft-close
- Quick-Release Seat & Cover
- Dual-cleansing mode
- Rear & Feminine wash
- Dual water inlet (Left & Right)
- Paired perfectly with Alsace, Berlin, Figa & Luxor



CONSOLE BASIN

LAMIA
Console Basin
480(W) x 375(L) x 140(H) mm

Single pre-punched tap hole without overflow



LARVIK
Console Basin
575(W) x 405(L) x 180(H) mm

No tap hole with overflow



BOSTON
Console Basin
465(W) x 485(L) x 180(H) mm

Single pre-punched tap hole with overflow



VANITY BASIN

BARCELONA-22
Countertop Basin
600(W) x 490(L) x 200(H) mm

Single pre-punched tap hole with overflow



EDMONTON
Undercounter Basin
550(W) x 430(L) x 205(H) mm

No tap hole with overflow



CHESTER
Undercounter Basin
515(W) x 385(L) x 185(H) mm

No tap hole with overflow



PEDESTAL BASIN

SMART 500
Pedestal Basin
500(W) x 395(L) x 165(H) mm

Single pre-punched tap hole with overflow
Optional: Smart 500 Pedestal
140(W) x 170(L) x 725(H) mm



ROMA
Pedestal Basin
495(W) x 405(L) x 205(H) mm

Single pre-punched tap hole with overflow
Optional: Roma Pedestal
220(W) x 120(L) x 705(H) mm



PORTO
Pedestal Basin
545(W) x 455(L) x 200(H) mm

Single pre-punched tap hole with overflow
Optional: Universal Full Pedestal
185(W) x 147(L) x 670(H) mm



SEMI-RECESSED BASIN

OSLO
Semi-Recessed Basin
430(W) x 430(L) x 180(H) mm

Single pre-punched tap hole with overflow




TANGA
Semi-Recessed Basin
525(W) x 600(L) x 170(H) mm

Single pre-punched tap hole with overflow



PRAGO
Semi-Recessed Basin
415(W) x 415(L) x 150(H) mm

Single pre-punched tap hole with overflow



MADRID JUNIOR
Pedestal Basin
525(W) x 455(L) x 195(H) mm

Single pre-punched tap hole with overflow
Optional: Universal Full Pedestal
185(W) x 147(L) x 670(H) mm



HOMER
Pedestal Basin
570(W) x 495(L) x 190(H) mm

Single pre-punched tap hole with overflow
Optional: Homer Pedestal
185(W) x 155(L) x 690(H) mm



FARO
Handicap Basin with Half Pedestal
650(W) x 680(L) x 430(H) mm

Single pre-punched tap hole with overflow



WALL HUNG BASIN

SMART 400

Wall Hung Basin
440(W) x 340(L) x 160(H) mm

Single pre-punched tap hole with overflow



RIO

Wall Hung Basin
375(W) x 305(L) x 165(H) mm


Single pre-punched tap hole with overflow



MODENA

Wall Hung Basin
560(W) x 495(L) x 175(H) mm


Single pre-punched tap hole with overflow



DERRY 650

Wall Hung Basin
650(W) x 510(L) x 145(H) mm


Single pre-punched tap hole with overflow



DERRY 750

Wall Hung Basin
750(W) x 510(L) x 180(H) mm


Single pre-punched tap hole with overflow



VARNA

Wall Hung Basin
505(W) x 440(L) x 150(H) mm


Single pre-punched tap hole with overflow



VIENNA

Wall Hung Basin
465(W) x 465(L) x 160(H) mm


Single pre-punched tap hole with overflow



CADIZ

Wall Hung Basin
570(W) x 455(L) x 150(H) mm

Single pre-punched tap hole with overflow



BASIN ACCESSORIES

or-BS2911-21

32mm ø Chromed Zinc Alloy Bottle Trap

Length: 210mm Horizontal Tube



or-BS2911-30

32mm ø Chromed Zinc Alloy Bottle Trap

Length: 300mm Horizontal Tube



or-BSW9001-4

Brass Pop-Up Waste
Length: 90mm Tube

Without Overflow



or-BS2906-9

Brass Pop-Up Waste
Length: 90mm Tube

With Overflow



LISSE

Wall Hung Basin
555(W) x 395(L) x 120(H) mm

Single pre-punched tap hole without overflow



LISSE TWIN

Wall Hung Basin
1200(W) x 390(L) x 130(H) mm

Dual pre-punched tap hole without overflow



or-BS2906-9S

Brass Pop-Up Waste
Length: 90mm Tube

With Overflow



or-BS2906-12

Brass Pop-Up Waste
Length: 120mm Tube

With Overflow



or-BS2906-12S

Brass Pop-Up Waste
Length: 120mm Tube

With Overflow





WHIRLPOOL BATH





OR-M102A
Two-Seater Whirlpool Bath
1850(W) x 1200(L) x 650(H) mm (3 panels)

- 6 Hydroflow Massage Jets
- 9 Air Bubble Jets
- Digital Control Panel
- Mixer with shower
- 1 Underwater LED light
- Radio/CD function
- Heater
- Ozone
- 1.5 HP pump




OR-M105
Two-Seater Whirlpool Bath
1830(W) x 1300(L) x 850(H) mm (Sunken)

- 6 Hydroflow Massage Jets
- 10 Air Bubble Jets
- Digital Control Panel
- Mixer with shower
- 1 Underwater LED light
- Radio/CD function
- Heater
- Ozone
- 1.5 HP pump




OR-M103
Three-Seater Whirlpool Bath
2090(W) x 1760(L) x 850(H) mm (Sunken)

- 6 Hydroflow Massage Jets
- 10 Air Bubble Jets
- Digital Control Panel
- Mixer with shower
- 1 Underwater LED light
- Radio/CD function
- Heater
- Ozone
- 1.5 HP pump



OR-M201
Single Seater Whirlpool Bath
1700(W) x 800(L) x 600(H) mm (3 panels)

- 11 Air Bubble Jets
- Digital Control Panel
- Mixer with shower
- Cascade Spout
- 2 Underwater LED light
- Air Bubble pump
- Ozone




WHIRLPOOL BATH



OR-M202

Single Seater Whirlpool Bath
1490(W) x 1490(L) x 600(H) mm (1 panel)


- 11 Air Bubble Jets
- Digital Control Panel
- Mixer with shower
- Cascade Spout
- 2 Underwater LED light
- Air Bubble pump



OR-M208A

Single Seater Whirlpool Bath
1800(W) x 900(L) x 620(H) mm (Full Body)


- 10 Hydroflow Massage Jets
- Digital Control Panel
- Mixer with shower
- Cascade Spout
- 1 Underwater LED light
- Ozone
- 1.0 HP pump



OR-M206

Two-Seater Whirlpool Bath
1850(W) x 1250(L) x 620(H) mm (Full Body)


- 10 Hydroflow Massage Jets
- 12 Air Bubble Jets
- Digital Control Panel
- Mixer with shower
- Cascade Spout
- 12 Underwater LED light
- Heater
- Ozone
- 1.5 HP pump



OR-M209

Single Seater Whirlpool Bath
1720(W) x 830(L) x 580(H) mm (Full Body)

- 6 Hydroflow Massage Jets
- 8 Air Bubble Jets
- Digital Control Panel
- Mixer with shower
- 1 Underwater LED light
- Ozone
- 1.0 HP pump




WHIRLPOOL BATH




OR-M301A
Single Seater Whirlpool Bath
1800(W) x 900(L) x 620(H) mm (3 panels)

- 10 Hydroflow Massage Jets
- Digital Control Panel
- Mixer with shower
- Cascade Spout
- 1 Underwater LED light
- 1.0 HP pump




OR-M903
Single-Seater Whirlpool Bath
1700(W) x 900(L) x 680(H) mm (2 Panels)

- 8 Hydroflow Massage Jets
- Digital Control Panel
- Mixer with shower
- 1 Underwater LED light
- Ozone
- 1.0 HP pump




OR-M502
Single Seater Whirlpool Bath
1750(W) x 900(L) x 730(H) mm (3 panels)

- 6 Hydroflow Massage Jets
- Digital Control Panel
- Mixer with shower
- 1 Underwater LED light
- Ozone
- 1.0 HP pump



OR-M905
Two Seater Whirlpool Bath
1850(W) x 1400(L) x 790(H) mm (1 panel - 2 sides)

- 12 Hydroflow Massage Jets
- Digital Control Panel
- Mixer with shower
- 1 Underwater LED light
- Radio
- Ozone
- Heater
- 1.5 HP pump




WHIRLPOOL BATH



OR-M1201

Single Seater Whirlpool Bath
1700(W) x 800(L) x 620(H) mm (3 panels)


- 10 Hydroflow Massage Jets
- Digital Control Panel
- Mixer with shower
- 1 Underwater LED light
- Ozone
- 1.0 HP pump



OR-M1202

Single Seater Whirlpool Bath
1420(W) x 1420(L) x 620(H) mm (1 panel)


- 6 Hydroflow Massage Jets
- Digital Control Panel
- Mixer with shower
- 1 Underwater LED light
- Ozone
- 1.0 HP pump



OR-M1303

Single Seater Whirlpool Bath
1550(W) x 800(L) x 600(H) mm (3 Panels)

- 8 Hydroflow Massage Jets
- Control Button
- Mixer with shower
- 1 Underwater LED light
- 1.0 HP pump



WHIRLPOOL BATH FEATURES



Ozone

- Automatically sterilize and remove odor, improve water quality.
- Help to freshen up your cells, enhance skin elasticity and naturally beautify your body while bathing.



Hydro Massage Jet

- Infuse air into water and sending them through the jet nozzles to create a rhythmic stream of water vibrations which forms a powerful massage action.
- Massages and relax targeted group of body muscles, activate body cells and relieving fatigue.



Air Bubble Jet

- Lining at the bottom of the bath, air is forced through the air bubble jets nozzle, creating soft and invigorating bubbles for a relaxing and therapeutic bath massage.



Underwater LED Light

- Multi-colored light illuminates the bubbling water and creates a perfect atmosphere, keeping you in mood for relaxing physically and mentally.



Mixer and hand shower

- Sets of solid chrome mixer located at the side of the tub, mixing both hot and cold water for your desired temperature.
- Hand shower comes handy in washing off bubbles or shampoo out of the hair.



Digital Control Panel

- A digital control panel where the icon illuminated for touch control, which the radio, underwater light, hydro flow and air bubble jets can be operated in one touch.



Radio Function

- Built-in speaker unit plays any FM radio station that you desire.



External CD Function

- Connecting to sky cable or CD / DVD player via the video inputs, allow you to watch any movie you like while relaxing in the bath.



LCD TV

- A flat screen LCD TV cleverly hidden in the bath unit, enjoy your favorite programs and movies at the press of a button on the remote control.



Heater

- Maintaining the bathing water temperature at your preference.



Cascade Spout

- Unique spout designed especially for whirlpool baths, creates beautiful water flow and relaxing atmosphere for your bath.



Waterfall

- Waterfall like flow cascading down beautifully, allows your entire body to be pampered and experience sensuality in the bathroom.

* All whirlpool possess Water Level Sensor and Leakage Protection.



Water Level Sensor

- A built in sensor to ensure the bath is filled with sufficient water before the pump start running to prevent the pump from overheating.



Leakage Protection

- The leakage protection device will trip to stop all bath functions to protect the working motor, when a fault current supply is detected.

INFORMATION - Water Closet Technology



WATER CLOSET - HIGH QUALITY VALVES

Strong POM & ABS body

- High-pressure resistant
- Age resistant

High-grade synthetic rubber and silicon

- Resistance to harsh water
- Long lasting

Fully adjustable universal design

- Hassel-free part replacement

Tested & Certified to worldwide standard

Approval Codes Of Fittings :



WATER CLOSET - DYNA GREEN FLUSHING SYSTEM

THE WATER SAVING TECHNOLOGY

Responding to the worldwide need for water conservation, and by utilizing the proven idea of science and architectural in engineering ORIN WC, the ORIN's Dyna Green flushing system is the perfect solution for your bathroom water saving.

The Dyna Green Flushing System is a simple, and effective solution for powerful flushing at only 3.5 Liters of water at full flush, while 2.5 Liters water for half flush. Offering a greater water savings of 40% with each flush.

DynaWash & DynaJet flushing system features:

- Wide 3" fast-flow discharge flush valve**
Disperse water from cistern quick and fast, to create high velocity of water force.
- Balanced water distribution**
Water jet's holes strategically placed along the closed-rim to ensure even water distribution, directing water to reached every part of the bowl for efficient clean flush. Closed-rim design have less trapped dirt and bacteria, it is more hygiene and easier for cleaning.
- Efficient wash down bowl**
The inner bowl are specially designed to the angle and gradient for a perfect steepness, so that water falls in evenly and smoothly to clear all waste down the trap way in one flush.
- Large trap way for enhanced dispersal**
Larger trap way to minimize blockage and optimize waste passage for smooth flushing.



Tested & Certified by:



WATER CLOSET - PREMIUM UF SEAT COVER FEATURES



Soft-Close Design

- Smooth and silent closing of the seat cover. Also serve as an extra protection to avoid accident by slamming of the seat cover.



Anti-Bacterial Protection

- The anti-microbial protection, which is added to the material during the molding process under high temperature. Also makes cleaning easier.



UV Protection

- The UF seats & cover offer Ultra-Violet protection which eliminates discoloration caused by exposure to UV rays (sunlight).



Stainless Steel Quick-Release Hinges

- Quick release hinges can easily install from top. The seat & cover can be quickly release with only one push at the button. The seat & cover can be easily and quickly detach for maintenance and cleaning.



Scratch & Burn Resistant

- The UF seats & cover have high degree of hardness in the surface which makes it scratch & burn resistant. Hence free from stains and marks, easier to maintain and clean.

WATER CLOSET - Flexi P CONNECTOR

What is Flexi P connector?

A Flexi P connector is an accessory that allows connection of water closets to the floor waste pipe with wider roughing-in distance (distance from wall to center of waste-pipe), which is from 150mm to 300mm.

Flexi P connector is an effective and widely adopted WC installation system in the European countries, offered by most premium sanitary ware leading brands. Flexi P connector is one of the best value-added product features added to Orin water closets line. Up to 70% of Orin water closets are equipped with Flexi P connector system, which benefits the user, dealer, retail, project, contractor, and developers without burdening the cost.




What is the advantage of Flexi P connector?


- **Flexible Roughing-in**
Wide roughing-in distance of 150mm to 300mm enable users to enjoy the full liberty to choose any Orin water closets with near absolute certainty that it will fit perfectly well into majority commonly use roughing-in distance in the industry.
- **Smooth Flushing without Off-Set Connector**
In many cases, when the roughing-in of the permanent fired trap and floor waste pipe does not aligned, solution is to be fitted with an off-set connector, and an improper installation might most probably result in poor flushing. With Flexi P connector, poor flushing can be eliminated by cutting and adjusting the connector to the precise length intended, without compromising on the flushing quality.
- **P-Trap Converter**
Flexi P connector can also acts as a converter. It converts a P-trap WC to S-Trap WC.
- **Easy Installation**

* The 3 simple steps to install

1. Measure



2. Cut



3. Slot

